

EA290



FLOOR FANS

- 3-speed, 120 V/60 Hz, 1/4 HP motor
- All-metal construction
 - 3-prong plug with ground industrial wire
 - Rotates up for vertical airflow
 - Chrome finish



Model No.	Diameter"	High	CFM		SALE
			Med	Low	
EA528	16	2370	1950	1560	85.00
EA290	18	4725	3850	2975	95.00

HIGH VELOCITY FLOOR FAN

- HP: 1/5
- All-metal construction
- Vertical pivot fan head
- Copper motor for longer lifetime
- Diameter: 20"
- No. of Speeds: 3

Model No.

EA661

PROMO PRICE

115⁰⁰



LIGHT INDUSTRIAL DRUM FANS

- 120 V/60 Hz, 2-speed motor
- All-metal construction
- 6" casters with handle
- 6' SJT type power cord



EA286

Model No.	Dia."	HP	CFM		Wt. lbs.	SALE
			High	Low		
EA286	28	2/5	8050	6650	22	345.00
EA288	36	3/5	11200	9100	30.5	399.00

RECHARGEABLE INDOOR/OUTDOOR FAN

- Includes a lithium-ion battery and charger cable
- Power indicator light equipped with 5 LED lights to indicate the battery gauge in every 20%
- This fan has a variable speed setting
- USB charging port on the control box can be used to recharge digital devices
- Type: Floor
- Diameter: 12"
- No. of Speeds: 3
- Colour: Yellow
- Voltage: 24 V
- Power: 25 W
- CFM: 1600
- RPM: 1700
- Re-Charge time: 4-5 Hrs
- Duration time at low speed: 24 Hrs
- Duration time at high speed: 4 Hrs
- USB: 5 V, 1 A



PROMO PRICE

159⁰⁰

Model No.

EA828



LIGHT INDUSTRIAL AIR CIRCULATING FANS

- 2-speed, 120 V motor
- All-metal construction, with densely chrome-plated guard
- Can be used in oscillating or non-oscillating mode
- Pedestal models feature adjustable height and heavy-duty base for added stability
- 6' SJT power cord



EA284



EA282



Model No.	Description	HP	CFM		SALE
			High	Low	
OSCILLATING					
EA282	26" Pedestal	1/4	7525	4050	269.00
EA283	30" Pedestal	1/3	8778	6780	295.00
EA284	26" Wall Mount	1/4	7525	4050	209.00
EA654	30" Wall Mount	1/3	8775	6780	229.00
NON OSCILLATING					
EA657	26" Pedestal	1/4	7700	6060	235.00
EA571	30" Pedestal	1/3	8000	7000	259.00
EA655	26" Wall Mount	1/4	7700	6060	179.00
EA656	30" Wall Mount	1/3	8000	7000	195.00

24" ROLL-ABOUT FAN

- 3-speed, 1/5 HP, 120 V motor
- Cart-mounted fan for increased air circulation and optimal mobility
- Can be tilted/positioned to maximize ventilation
- Cart and frame configuration provides stable quiet operation
- CFM: 10760/7770/7040
- 9.8' SJT power cord



PROMO PRICE
279⁰⁰

Model No.
EA476



OUTDOOR OSCILLATING PEDESTAL FAN

- Enclosed/Waterproof motor type
- Features adjustable height and heavy-duty round base for added stability
- 9.5' power cord with UL GFCI plug
- All-metal construction, chrome grill stand and base painted black
- HP: 1/7
- Base Diameter: 27"
- CFM High: 7200
- CFM Mid: 5470
- CFM Low: 3780
- Weight: 47 lbs.
- Watts: 220 W
- Diameter: 30"
- No. of Speeds: 3



PROMO PRICE
369⁰⁰

Model No.
EA779



20" HIGH VELOCITY PEDESTAL FAN

- 3-speed, 1/5 HP, 120 V/60 Hz motor
- All-metal construction
- Adjustable pedestal base
 - 6' SJT power cord
- CFM: 5950/4550/3850
- Head tilting capability of 360°

PROMO PRICE
175⁰⁰

Model No.
EA289



HIGH VELOCITY OSCILLATING WALL FAN

- Adjustable tilting fan head
- Sliding switch at front of base
- Rotating or fixed air direction
- Type: Wall Mounted
- Diameter: 20"
- No. of Speeds: 3
- Max. CFM: 4800
- Mid. CFM: 4500
- Min. CFM: 4000
- Voltage: 120 V
- HP: 1/5



PROMO PRICE
139⁰⁰

Model No.
EA660



MISTING & OSCILLATING PEDESTAL FAN

- Features a misting hub, adjustable height and heavy-duty round base for added stability
- 9' power cord with UL GFCI plug
- Enclosed/Waterproof motor type (IP44)
- All-metal construction, chrome grill stand and base painted black
- Misting kit included with direct hose connection
- HP: 1/7
- Base Diameter: 27"
- CFM High: 7200
- CFM Low: 3780
- CFM Mid: 5470
- Weight: 47 lbs.
- Watts: 220 W
- Diameter: 30"
- No. of Speeds: 3



Model No.
EA829

PROMO PRICE

425⁰⁰



HEAVY-DUTY OSCILLATING PEDESTAL FAN

- HP: 1/3
- Max. CFM: 13 200
- Base Dia.: 69.3 cm
- All-metal construction, chrome grill and base painted black
- Can be used in oscillating or non-oscillating mode
- Adjustable height and heavy-duty round base for added stability
- 9.8' SJT power cord
- Fully enclosed motor
- Diameter: 30"
- No. of Speeds: 3



Model No.
EA666

PROMO PRICE

475⁰⁰



INDUSTRIAL-DUTY AIR CIRCULATING FANS

- 120 V
- All-metal construction
- Fully enclosed motor
- 9.8' SJT power cord
- Stem length for pedestal: 89-124 cm
- No. of Speeds: 2



EA645



EA646



Model No.	Description	HP	CFM		SALE
			Max.	Min.	
OSCILLATING					
EA643*	24" Pedestal	1/4	11 800	7760	359.00
EA647*	30" Pedestal	1/3	13 200	6700	395.00
EA645	24" Wall Mount	1/3	11 500	7680	289.00
EA649	30" Wall Mount	1/4	10 780	7760	319.00
NON-OSCILLATING					
EA642*	24" Pedestal	1/4	11 800	7760	310.00
EA646*	30" Pedestal	1/4	10 780	7440	335.00
EA644	24" Wall Mount	1/4	11 500	7680	250.00
EA648	30" Wall Mount	1/4	10 780	7440	275.00


* Features adjustable height and a heavy-duty round base for added stability

HEAVY-DUTY OSCILLATING WALL FAN

- HP: 1/3
- Max. CFM: 13 400
- All-metal construction
- Fully enclosed motor
- 9.8' SJT power cord
- Diameter: 30"
- No. of Speeds: 3



Model No.
EA667



PROMO PRICE

395⁰⁰



MISTING & OSCILLATING PEDESTAL FAN

- Features a misting hub, adjustable height and heavy-duty round base for added stability
- 9' power cord with UL GFCI plug
- Enclosed/Waterproof motor type (IP44)
- All-metal construction, chrome grill stand and base painted black
- Misting kit included with direct hose connection
- HP: 1/7
- Base Diameter: 27"
- CFM High: 7200
- CFM Low: 3780
- CFM Mid: 5470
- Weight: 47 lbs.
- Watts: 220 W
- Diameter: 30"
- No. of Speeds: 3



Model No.
EA829

PROMO PRICE

425⁰⁰



HEAVY-DUTY OSCILLATING PEDESTAL FAN

- HP: 1/3
- Max. CFM: 13 200
- Base Dia.: 69.3 cm
- All-metal construction, chrome grill and base painted black
- Can be used in oscillating or non-oscillating mode
- Adjustable height and heavy-duty round base for added stability
- 9.8' SJT power cord
- Fully enclosed motor
- Diameter: 30"
- No. of Speeds: 3

Model No.
EA666

PROMO PRICE

475⁰⁰



INDUSTRIAL-DUTY AIR CIRCULATING FANS

- 120 V
- All-metal construction
- Fully enclosed motor
- 9.8' SJT power cord
- Stem length for pedestal: 89-124 cm
- No. of Speeds: 2



EA646



EA645




Model No.	Description	HP	CFM Max.	CFM Min.	SALE
OSCILLATING					
EA643*	24" Pedestal	1/4	11 800	7760	359.00
EA647*	30" Pedestal	1/3	13 200	6700	395.00
EA645	24" Wall Mount	1/3	11 500	7680	289.00
EA649	30" Wall Mount	1/4	10 780	7760	319.00
NON-OSCILLATING					
EA642*	24" Pedestal	1/4	11 800	7760	310.00
EA646*	30" Pedestal	1/4	10 780	7440	335.00
EA644	24" Wall Mount	1/4	11 500	7680	250.00
EA648	30" Wall Mount	1/4	10 780	7440	275.00

* Features adjustable height and a heavy-duty round base for added stability

HEAVY-DUTY OSCILLATING WALL FAN

- HP: 1/3
- Max. CFM: 13 400
- All-metal construction
- Fully enclosed motor
- 9.8' SJT power cord
- Diameter: 30"
- No. of Speeds: 3

Model No.
EA667



PROMO PRICE

395⁰⁰



LIGHT INDUSTRIAL DIRECT-DRIVE SLIM DRUM FAN

- All-metal construction, painted black & chrome with aluminum blades
- 6' SJT power cord
- 5" casters and easy-moving handle
- Open motor type
- 360° vertical tilt angle
- HP: 3/10
- Motor: 120 V/60 Hz, 3-speed
- CFM High: 7770
- CFM Low: 4200
- Weight: 25.09 lbs.
- Watts: 215 W
- Diameter: 24"



Model No.
EA778

PROMO PRICE

159⁰⁰



HEAVY-DUTY FIXED BELT DRIVE DRUM FAN

- HP: 3/4
- Max. CFM: 20945
- Fully enclosed motor
- All-metal construction
 - 12' power cord
 - Diameter: 42"
- No. of Speeds: 2



Model No.
EA662

PROMO PRICE

699⁰⁰

MOBILE 3-IN-1 AIR CONDITIONER

- 3-in-1 System (A/C, Fan and dehumidify)
- Control panel with LED display on unit and remote control included
- Equipped with casters
- 24 hour timer
- 3 fan and cooling speed
- Colour: White
- Voltage: 115 V
- Frequency: 60 Hz
- Type: Portable
- 17-1/3" W x 12-4/5" D x 27-1/3" H
- BTU Rating: 12000



Model No.
EA830

PROMO PRICE

620⁰⁰



DEHUMIDIFIER

- Water bucket full indicator
- Omni-directional cast
- 24-hour timer
- 6L tank capacity
- Auto restart function and auto defrosting
- Energy-Star Certified
- Washable filter
- LED display
- Capacity: 70 Pt.
- Coverage: 4000 sq. ft.



Model No.
EA831

PROMO PRICE

375⁰⁰



OUTDOOR EXTENSION CORDS W/LIGHT INDICATOR

- Vinyl jacket protects against rough use, chemicals and moisture
- Lighted connectors allow you to see when the power is in use
- 3-conductor SJTOW, 300 V grounding, oil resistant
- Extra heavy-duty
- Single tap

XC494



OUTDOOR VINYL EXTENSION CORDS

- 3-conductor SJTOW, 300-V grounding
- Vinyl jacket protects against rough use, chemicals, and moisture and provides added flexibility
- Single tap

XC484



Model

Model No.	Length'	AWG	Amps	Watts	SALE
HEAVY-DUTY ORANGE					
XC482	25	14/3	15	1875	15.99
XC483	50	14/3	15	1875	29.99
XC484	100	14/3	13	1625	58.99
EXTRA HEAVY-DUTY YELLOW					
XC485	25	12/3	15	1875	23.99
XC486	50	12/3	15	1875	45.99
XC487	100	12/3	15	1875	89.99

Model No.	Length'	AWG	Amps	Watts	SALE
XC494	25	12/3	15	1875	29.99
XC495	50	12/3	15	1875	52.99
XC496	100	12/3	15	1875	99.99

6" CLIP-ON & DESK FAN

- 2-speed motor
- Convertible clip or desk feature
- Tilting head

Model No.
EA304



Desktop Base

PROMO PRICE

17⁹⁵



OSCILLATING DESK FANS

- 3-speed push button control
- Rotating or fixed air direction
- Topple resistant base
- Portable and easy to assemble



Model No.	Diameter"	SALE
EA305	12	31.50
EA306	16	39.95



EA305

16" WALL MOUNT OSCILLATING FAN

- 3-speed control with timer and remote
 - Rotating or fixed air direction
 - Portable and easy to assemble
 - Weight: 9 lbs.

Model No.
EA526

PROMO PRICE

74⁹⁵




20" BOX FAN

- 3-speed control
- Five slim blades
- Fully assembled and ready to use
- Weight: 10 lbs.

Model No.
EA527

PROMO PRICE

43⁹⁵



OSCILLATING TOWER FAN

- Wide-angle oscillation
- Stable base
- Type: Pedestal
- Diameter: 6"
- No. of Speeds: 3
- Colour: Black
- Voltage: 120 V
- Power: 40 W
- Frequency: 60 Hz
- Overall Height: 30"

Model No.
EA827



PROMO PRICE

49⁹⁵



OSCILLATING PEDESTAL FANS

- 3-speed push button front control
- Adjustable height
- Rotating or fixed air direction
- Easy to assemble



Model No.	Diameter"	SALE
EA658	16	29.95
EA551	18	46.95



EA551



SQWINCHER ZERO® QWIK STIK™

- Calorie and sugar free single-serve pouches
- Simply tear open the pouch, pour the powder into a 20-oz. bottle of water, and shake
- Fifty 0.11-oz. packets per bag



PROMO PRICE

37⁹⁹
/Bag

Model No.	MFG No.	Flavour
SAN505	11060100-OR	Orange
SAN506	11060102-FP	Fruit Punch
SEI282	11060453-SL	Strawberry Lemonade
SAP496	11060101-MB	Mixed Berry

SQWINCHER ZERO® LIQUID CONCENTRATE

- Get the same electrolyte content as regular Sqwincher® without any calories or sugar
- Mixes instantly when water is added - no stirring required
- Screw-on cap allows you to reseal the bottle
- 64-oz. bottle size yields 5 gallons



SAN533

PROMO PRICE

19³⁹



Model No.	MFG No.	Flavour
SAN533	11050502-FP	Fruit Punch
SAN534	11050504-LL	Lemon-Lime
SAN535	11050505-LEM	Lemonade
SAN536	11050507-OR	Orange



SQWINCHER® SQWEEZE FREEZER POPS

- Freeze the Sqweeze and enjoy the refreshing taste of flavoured ice while replenishing your electrolytes
- Contains an assortment of orange, grape, lemon-lime, cherry and mixed berry flavours
 - 150 assorted 3-oz. individual packages per box



PROMO PRICE

96⁰⁰
/Box

Model No. SAM804
MFG No. 11130

SQWINCHER® LIQUID CONCENTRATE

- Specially formulated no-stir formula
- Screw-on cap allows you to reseal and store the bottle
- 64-oz. bottle size yields 5 gallons

SR933



PROMO PRICE

20⁹⁹



Model No.	MFG No.	Flavour
SAF862	11025	Grape
SAP552	11027	Mixed Berry
SR933	11020	Lemonade
SR934	11021	Orange
SR935	11022	Fruit Punch
SR936	11023	Lemon-Lime
SR937	11024	Tropical Cooler

SQWINCHER® FAST PACK®

- Packet can be used as a drinking cup; simply open it and add water to fill
- Handy, portable size lets you take Sqwincher® almost anywhere
- Fifty 0.6-oz. packets per box

SAF874



PROMO PRICE

32⁹⁹
/Box

Model No.	MFG No.	Flavour
SAF872	11080	Lemonade
SAF873	11081	Fruit Punch
SAF874	11082	Lemon-Lime
SAF878	11086	Orange



WE WANT TO EARN YOUR BUSINESS

PEAKMAN MANAGEMENT GROUP
FACILITY ON DEMAND
 No Contracts or No Monthly Fees
 Canada's Leading Facility & Supply Partner!

PEAKMAN MANAGEMENT GROUP CANADA
Direct: 587.329-0990
Toll Free: 1.888.404.PMGC (7624)
email: info@peakmanmanagement.com
Corporate Head Office:
#6 4550 112th Ave, SE, Calgary, AB T2C 2K2

peakmanmanagement.com



Pricing in effect until August 30, 2019 or while quantities last. Taxes & freight extra. Due to current market fluctuations, prices may vary without prior notice.



PEAKMAN

MANAGEMENT GROUP

Your Single Source Facility & Site Supply Partner

PMGSupply

FACILITY & SITE SUPPLY SOLUTIONS

PMGSupply represents in excess of 1,000 brand name manufacturers, and over 350,000 quality products.

We have access to all safety and industrial tool categories which provide top quality, with exceptional value.

150 DISTRIBUTION CENTERS ACROSS NORTH AMERICA

- 98% NEXT DAY SHIPPING
- TRACEABILITY OF YOUR ORDERS
- SECURE ONLINE LOGIN CLIENT AREA
- YOUR BACKUP STOCK SECURED
- ALL MAIN MANUFACTURES
- SEASONAL DOOR CRASHER SAVINGS

LOOKING FOR A STRATIGIC BUSINESS PARTNER?

Peakman Management Group Canada

Phone: 587.329.0990 Toll Free: 1.888.403.PMGC (7642)

Email: info@peakmanmanagement.com Web: peakmanmanagement.com

